


Mosolut **Heavy**

Removable floor panels from one of the largest processors of PVC cable in the world. Their properties make them ideal for both indoor and outdoor purposes. They are used mainly in production halls, warehouses, workshops, winter stadiums, for agricultural purposes and livestock, but also for cultural and sporting events.

Mosolut Heavy floors cover the grounds of many of the world's sports stadiums (such as the Munich Olympic Stadium). You can put your trust in the same recycled flooring tiles that the fans of Rolling Stones and Lady Gaga walked on.

















BENEFITS

- Excellent thermal insulation
- Strong anti-slip panels
- Chemical stability
- Low flammability
- Easy maintenance
- Quick assembly and disassembly
- Thermal insulator

USE

- Industrial, commercial and sports buildings
- Manufacturing facilities
- Warehouses, halls, workshops, garages
- Farming and agriculture (under horses and farm animals)
- Covering outdoor areas
- For cultural and sporting events

COLORS





ACCESSORIES FOR LARGE 1200 X 800, AND SMALL 800 X 600 PANELS

"Under" ramp high (250) "Under" ramp low (251)





"Above" ramp low (261)





BASIC TECHNICAL PARAMETERS

Bfl-s1

S3

(tested in accordance with ČSN EN 13036-4 standard – Method for measuring the anti-slip properties of the surface)



Loading (102) 1200 x 800 x 43 mm Weight: 32 kg



Double sided interior board (120) 1200 x 800 x 22 mm Weight: 24 kg





Interior, exterior board (132) 1200 x 800 x 32 mm Weight: 35 kg



Loading board - teardrop (1025) 1200 x 800 x 43 mm Weight: 34 kg



Ball point plain - Puzzle (121P) 1160 x 780 x 12 mm Weight: 13,5 kg



Paddock (113) 1200 x 800 x 43 mm Weight: 28 kg



Interior ball point (124) 1200 x 800 x 22 mm Weight: 20 kg



Interior (115) 1200 x 800 x 22 mm Weight: 20 kg



Double sided board (123) 1200 x 800 x 23 mm Weight: 30 kg



Mosolut Heavy Small 800 x 600

BASIC TECHNICAL PARAMETERS

Bfl-s

S3

(tested in accordance with ČSN EN 13036-4 standard – Method for measuring the anti-slip properties of the surface)



Loading grid (103R)

800 x 600 x 43 mm Weight: 11 kg



Loading small (103)

800 x 600 x 43 mm Weight: 18 kg



Pebbled small (107)

800 x 600 x 22 mm Weight: 11,5 kg



Interior small reinforced (109Z)

800 x 600 x 22 mm Weight: 12,5 kg

USE

- Industrial, commercial and sports buildings
- Manufacturing facilities
- Warehouses, halls, workshops, garages
- Farming and agriculture (under horses and farm animals)
- Covering outdoor areas
- For cultural and sporting events

COLORS

Black







Mosolut s.r.o.

Fučíkova 920/21, 628 00 Brno Czech republic info@mosolut.com +420 602 789 113 +420 737 716 909

www.mosolut.com www.hestra-plattan.com